

To: Rodriguez, Dante[Rodriguez.Dante@epa.gov]
From: Dietrick McGinnis
Sent: Thur 1/19/2017 10:29:29 PM
Subject: RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Thanks, they are doing a good job keeping me in the discussion, I will be able to get responses out late today/tomorrow.

Dietrick

Dietrick McGinnis PhD PE CEM

McGinnis & Associates

65 Regency Way, Suite C, Reno, NV 89509

775.853.0449 p, 775.853.0243 f

McGinnisandAssociates.com

From: Rodriguez, Dante [mailto:Rodriguez.Dante@epa.gov]
Sent: Thursday, January 19, 2017 10:16 AM
To: Dietrick McGinnis <dmcginnis@mcginnisandassociates.com>
Subject: FW: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Dietrick,

Information below about what the lab needs from you in order to do the double-blind.

Dante Rodriguez

Remedial Project Manager

U.S. EPA Region 9

75 Hawthorne Street, SFD-8-2

San Francisco, CA 94105

(415)972-3166

From: Sturges, Susan

Sent: Wednesday, January 18, 2017 9:30 AM

To: Rodriguez, Dante <Rodriguez.Dante@epa.gov>

Cc: Freitas, Richard <Freitas.Richard@epa.gov>; Dietrick McGinnis
<dmcginnis@mcginnisandassociates.com>

Subject: FW: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Good morning, Dante.

FYI, see below regarding the PE sample for Yerington. If performing as a double blind, Keith Stout from QATS needs empty sample bottles sent and highlighted information below. Dietrick is included in the email chain, but thought it would be good to have you looped in as well.

Thank you.

Susan Sturges

Regional Sample Control Coordinator

U.S EPA Region 9 Laboratory

1337 S 46th Street, Bldg 201

Richmond, CA 94804-4600

Office: 510-412-2383

Email: sturges.susan@epa.gov

R9 Regional Sample Control Center: 510-412-2389
R9 RSCC email: R9RSCC@epa.gov

<http://www.epa.gov/region9/lab/>

From: Moody, Brett
Sent: Wednesday, January 18, 2017 8:11 AM
To: Strout, Keith <Keith.Strout@CBIFederalServices.com>; Dietrick McGinnis <dmcginnis@mcginnisandassociates.com>; Freitas, Richard <Freitas.Richard@epa.gov>; Sturges, Susan <Sturges.Susan@epa.gov>
Cc: Appleby, Charlie <Appleby.Charlie@epa.gov>; Hedin, Clyde <Clyde.Hedin@CBIFederalServices.com>
Subject: RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Thanks, Keith!

R9 – please let Keith know asap if this PE sample is still going to be double-blind. If so, please send the desired empty bottles asap and provide Keith with the highlighted information below. If time is an issue, there is the option of this being a blind sample with QATS sending the PE sample directly to the scheduled lab.

Thanks,

Brett Moody

OLEM/OSRTI/TIFSD/Analytical Services Branch

CLP Inorganic Program Manager

Work: 703.603.9903/Cell: 571.289.8244

From: Strout, Keith [<mailto:Keith.Strout@CBIFederalServices.com>]
Sent: Wednesday, January 18, 2017 11:05 AM
To: Moody, Brett <Moody.Brett@epa.gov>; Dietrick McGinnis <dmcginnis@mcginnisandassociates.com>; Freitas, Richard <Freitas.Richard@epa.gov>;

Sturges, Susan <Sturges.Susan@epa.gov>

Cc: Appleby, Charlie <Appleby.Charlie@epa.gov>; Hedin, Clyde
<Clyde.Hedin@CBIFederalServices.com>

Subject: RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Good Morning Brett,

I was just about to send an email regarding this PES. Dietrick sent me an email with the contact information, so I assume this is where the PES should be sent. We have not received the bottles for the PES, assuming that they want it in the same containers as the field samples. We have determined the analytes and concentrations to be used, and understand that it is a soil sample. What we need at this point is the containers, if they are to be supplied to us, the size of the sample needed, number of bottles, the date needed, and a confirmation on the shipping address.

We hope this information helps.

Thanks,

Keith

Keith Strout
Analytical Group Leader
Quality Assurance Technical Support Laboratory
CB&I Federal Services, LLC
2700 Chandler Avenue, Building C
Las Vegas, NV 89120
702.895.8722 Direct
702.795.8210 Fax
keith.strout@cbifederaleservices.com

www.cbi.com

From: Moody, Brett [Moody.Brett@epa.gov]
Sent: Wednesday, January 18, 2017 9:52 AM
To: Dietrick McGinnis; Freitas, Richard; Sturges, Susan
Cc: Strout, Keith; Appleby, Charlie
Subject: RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Hello Everyone,

Just checking on the status of the PE samples to be included with this case...have any bottles been sent to the QATS address below? Thank you in advance for the update!

Brett Moody

OLEM/OSRTI/TIFSD/Analytical Services Branch

CLP Inorganic Program Manager

Work: 703.603.9903/Cell: 571.289.8244

From: Moody, Brett

Sent: Thursday, January 12, 2017 11:31 AM

To: 'dmcginnis@mcginnisandassociates.com' <dmcginnis@mcginnisandassociates.com>; Freitas, Richard <Freitas.Richard@epa.gov>; Sturges, Susan <Sturges.Susan@epa.gov>

Cc: 'Strout, Keith' <Keith.Strout@CBIFederalServices.com>; Appleby, Charlie <Appleby.Charlie@epa.gov>

Subject: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Good Morning Dietrick, et al,

I can help facilitate the process for the double-blind PE samples. Since this a double-blind PE sample, the same sample bottles that will be used in the field need to be sent to QATS. The address to send the bottle(s) is:

Keith Strout

Quality Assurance Technical Support Laboratory
CB&I Federal Services, LLC
2700 Chandler Avenue, Building C
Las Vegas, NV 89120

Items that QATS will need to know about the PE sample for preparation:

1. Analytes
2. Concentrations of analytes
3. Matrix/Matrices
4. # of bottles
5. Volume/Mass to prepare (dependent on # of bottles)
6. Delivery Name/Address to send the finished PE sample
7. Shipping dates of samples (to ensure that the solution can get to desired address in time)

Keith – please let everyone know if anything else is needed as we move along.

Thank you,

Brett Moody

OLEM/OSRTI/TIFSD/Analytical Services Branch

CLP Inorganic Program Manager

Work: 703.603.9903/Cell: 571.289.8244

From: Freitas, Richard

Sent: Wednesday, January 11, 2017 11:07 AM

To: Dietrick McGinnis <dmcginnis@mcginnisandassociates.com>; Strout, Keith <Keith.Strout@CBIFederalServices.com>; Sturges, Susan <Sturges.Susan@epa.gov>; Appleby, Charlie <Appleby.Charlie@epa.gov>

Cc: Eidelberg, Joseph <Eidelberg.Joseph@epa.gov>; Rodriguez, Dante <Rodriguez.Dante@epa.gov>

Subject: re: Draft technical requirements modified analysis for Yerington Anaconda site by ICP-MS

Hi everyone,

Looks like we're good to go. Sampling is scheduled to occur first week of February sometime.

Keith, can you coordinate with Dietrick on the double-blind PE samples?

As for the modified analysis, I have not yet received designation as R9 COR, Charlie, Dietrick, are you in agreement with the attached modified analysis? Does it meet the needs of the project QAPP?

Joe – Dante will be contracting you regarding data validation needs for this project.

Let me know if you need anything assistance on this.

Rich,

R9 QA Section


415-972-3804

From: Rodriguez, Dante

Sent: Wednesday, January 11, 2017 10:11 AM

To: Freitas, Richard <Freitas.Richard@epa.gov>

Subject: Dietrick McGinnis - McGinnis & Associates, LLC



Dante Rodriguez

Remedial Project Manager

U.S. EPA Region 9

75 Hawthorne Street, SFD-8-2

San Francisco, CA 94105

(415)972-3166